

A close-up photograph of a rhinoceros's head, showing its thick, wrinkled skin and large, pointed ears. The rhino is looking slightly to the left. In the background, there is a wooden sign with the word "TOUGHER!" carved into it in large, black, block letters. The scene is set in a grassy field under bright, natural light.

TOUGHER!

Venhart[®]

**CARTON STAPLERS,
AIR TACKERS AND NAILERS,
HAND CLIPPERS, SEMI AUTO
AND AUTO NET CLIPPING
MACHINES**

Venhart[®]
**STAPLER
GUIDE**

Venhart BOX BOTTOMERS

Choose from manual and air assisted foot operated models. Venhart box bottomers seal cartons using the retractable anvil system as illustrated below.

MANUAL

CP SERIES

Sturdy welded steel construction with large foot pedal for easy and efficient operation. Magazine holds 240 staples. Approximately 80 blows per minute. Weight 40kg.

CP32 18. Uses Venhart D15 staples (32mm crown with 15mm leg)

CP34 18. Uses Venhart B15 and B18 staples (34mm crown with 15mm or 18mm leg)

CP35 15. Uses Venhart A15 staples (35mm crown with 15mm leg)

CP35 18. Uses Venhart A15 staples (35mm crown with 15mm leg) and Venhart A18 staples (35mm crown with 18mm leg).

CPN SERIES

Very solid and sturdy welded steel construction with fixed foot pedal. Easy air assisted operation at approximately 120 blows per minute. Magazine holds 150 staples. Air supply is adjustable via the pressure regulator from 30 to 145psi. Weight 48kg.

CPN34 18. Uses Venhart B15 or B18 staples. (34mm crown with 15mm or 18mm leg)



CPN35 18. Uses Venhart A15 or A18 staples. (35mm crown with 15mm or 18mm leg)

CPN35 22. Uses Venhart A15 and A18 staples. (35mm crown with 15mm or 18mm leg).

AIR ASSISTED

BF SERIES

BF32 22. This tough and efficient air assisted stapler features a foot pedal which is attached to the air supply but separate from the main unit enabling the operator to work from anywhere around the stapler. The magazine holds 150 Venhart D12 or D15 staples (32mm crown with 12mm or 15mm leg). Approximately 120 blows per minute. Air supply is adjustable via the pressure regulator from 30 to 145psi. Weight 43kg.



ACTUAL SIZE

Venhart HAND STAPLERS

Venhart manual and air assisted hand staplers seal cartons using the retractable anvil system as illustrated.

CM SERIES MANUAL



Simple lever action. The hand operated CM has a comfortable plastic handgrip and a large finger screw for variable staple depth adjustment. The spring seated magazine retracts for easy unjamming and holds 100 staples. Approx. 80 blows per minute. Weight 2.4 kg.

CM32 12 takes Venhart D12 staples (32mm crown with 12mm leg)

CM32 15 takes Venhart D15 staples (32mm crown with 15mm leg).

CM34 15-18 Adjusts to take either Venhart B15 or B18 staples (34mm crown with 15mm or 18mm leg).

CM34 22 takes Venhart B22 staples (34mm crown with 22mm leg).

CM35 15-18. Adjusts to take either Venhart A15 or A18 staples (35mm crown with 15mm or 18mm leg).

Simple lever action. The hand operated CM has a comfortable plastic handgrip and a large finger screw for variable staple depth adjustment. The spring seated magazine retracts for easy unjamming and holds 100 staples. Approx. 80 blows per minute. Weight 2.4 kg.

AL35 15 and **AL35 18** Simple fingertip trigger operation and a winding staple depth control with five fixed settings. The spring seated magazine holds 100 staples and retracts for easy unjamming.

AL35 15 takes Venhart A15 staples (35mm crown with 15mm leg)

AL35 18 takes Venhart A18 staples (35mm crown with 18mm leg) Approx 160 blows per minute. Weight 3.9kg. Air supply from 50 to 98psi. Complete with staple remover and 500 staples.

AL SERIES AIR ASSISTED



AM SERIES AIR ASSISTED



An economical and rugged trigger action stapler with a fixed magazine and a simple sliding control for variable staple depth settings. The magazine holds 120 staples. Approx. 160 blows per minute. Weight 3.7kg. Air supply from 50 to 98psi. Complete with balancer connection.

AM32 12 takes Venhart D12 staples (32mm crown with 12mm leg).

AM32 15 takes Venhart D15 staples (32mm crown with 15mm leg).

AM34 15 takes Venhart B12 or B15 staples (34mm crown with 12mm or 15mm leg).

An economical and rugged trigger action stapler with a fixed magazine and a simple sliding control for variable staple depth settings. The magazine holds 120 staples. Approx. 160 blows per minute. Weight 3.7kg. Air supply from 50 to 98psi. Complete with balancer connection.

AP SERIES AIR ASSISTED




AP35 15 Easy trigger action with a sliding staple depth control and locking fingertip for variable settings. The staple pusher is totally removable. The spring seated magazine holds 150 staples and retracts for easy unjamming. Uses Venhart A15 staples (35mm crown with 15mm leg) Approx. 160 blows per minute. Weight 3.5kg. Air supply from 56 to 98psi. Complete with a staple remover and an inbuilt balancer attachment.

TOUGH

Venhart

CARTON STAPLER



Venhart STAPLERS

	PRODUCT No	HAND OR FOOT OPERATED
Venhart HAND STAPLERS	CM35 15-18	Hand
	CM32 12	Hand
	CM32 15	Hand
	CM34 15-18	Hand
	CM34 22	Hand
	AM32 12	Hand
	AM32 15	Hand
	AM34 15	Hand
	AL35 15	Hand
	AL35 18	Hand
Venhart FOOT OPERATED BOX BOTTOMERS	CP32 18	Foot
	CP34 18	Foot
	CP35 15	Foot
	CP35 18	Foot
	BF32 22	Foot
	CPN34 18	Foot
	CPN35 18	Foot
Venhart AIR TACKERS	VH90/32-611	Hand
	VH380/16 400	Hand
	VH370/16 401	Hand
	CLIPSER	Hand
Venhart HAND CLIPPERS	SUPER CLIPSER	Hand
	VHTG 16	Hand
	VHTG 18	Hand
	VHTG 20	Hand
	VR60	Hand
Venhart NET CLIPPING MACHINES	P68	Foot
	P68 2	Foot
	P68 2E	Auto
	P88E	Auto

HER!



HEAD IN ACTION



STAPLER SELECTION GUIDE

OUTPUT STAPLES PER MIN	MAX. MAG. CAPAC.	AIR REQ. p.s.i	STAPLE SIZE mm		SUITABLE STAPLES	UNIT WEIGHT Kg.
			CROWN	LEG HEIGHT		
80	150	No	35	15-18	A15 A18	2.4
80	150	No	32	12	D12	2.4
80	150	No	32	15	D15	2.4
80	100	No	34	15-18	B15 B18	2.4
80	100	No	34	22	B22	2.4
160	120	56-98	32	12	D12	3.7
160	120	56-98	32	15	D15	3.7
160	120	56-98	34	12-15	B12 B15	3.7
160	100	56-98	35	15	A15	3.9
160	100	56-98	35	18	A18	3.9
160	100	56-98	35	15	A15	3.5
80	150	No	32	15	D15	40
80	240	No	34	15-18	B15 B18	40
80	240	No	35	15	A15	40
80	240	No	35	18	A18	40
120	150	30-145	32	12-15	D12 D15	43
120	150	30-145	34	15-18	B15 B18	48
120	150	30-145	35	15-18	A15 A18	48
120	150	30-145	35	15-18	A15 A18	48
35	125	90	5.85	18-25	90/18 90/25	1.3
35	157	90	13	14	380/14	.83
35	189	90	9.1	10-12	71/10 71/12	.83
30	12	No	14	19	Clipser	.15
30	12	No	30	30	Super Clipser	.25
30	50	No	16	8	VR16	.36
30	50	No	18	9	VR18	.36
30	50	No	20	10	VR20	.36
40	75	90	18	9	VR18	1.95
20	700	No	9	9	P68	70
20	700	No	9	9	P68	75
30	700	No	9	9	P68	90
22	16709	No	24mm per clip		Cont. Wire	87

Venhart AIR TACKERS

Venhart AIR TACKERS AND NAILERS



ACTUAL SIZE

STAPLING ACCESSORIES



VH3031 BALANCER

The Venhart spring loaded retractable balancer has a 1400mm cord and a large tension adjustment screw. It makes easy work of stapling by supporting the weight of the stapler during use and keeping it within easy reach at all times. Supports weights of 4 to 5.5kg.

Venhart STAPLE REMOVER

The fast and easy way to remove staples of all sizes. The handle is contoured to fit the hand comfortably. Made from cast metal with tempered steel heel.

Venhart hand tackers are used for picture framing, furniture manufacture, retail point of sale displays, exhibitions etc. The bigger hand tackers (VH90) can be used in the building, cabinet making and fencing industry for securing wooden palings, for attaching slats to pallet skids etc.

VH90/32-611, AIR ASSISTED

Features an aluminium housing and extremely quiet operation. Ideal for a wide range of carpentry, interior remodelling and cabinet making applications including assembly of modular furniture, kitchen cabinets, saunas, doors, TV cabinets, store fixtures, mobile homes and caravans, fixing wall panelling etc. The top-loading magazine holds 125 staples with leg lengths of 15mm to 32mm. Use Venhart 90/18 (18mm) or 90/25 (25mm) staples. Weight 1.3kg. Air consumption .9 litres per minute at 90psi.



400 SERIES, AIR ASSISTED

VH380/16 400 and VH371/16 401

The ergonomic design and noise absorbent construction make the 400 series a particularly quiet, lightweight and well balanced tacker.

VH371/16 401 applications include: motor vehicle and furniture upholstery, assembly of stereo cabinets, mobile homes, caravans and home furnishings.

VH380/16 400 applications are the same as the VH371/16 401 but also include boat building, assembly of kitchen cabinets, TV cabinets, modular furniture, wooden crates. Both models have a bottom-load magazine and weigh only .83kg. Air consumption .3 litres per minute at 90psi.

VH380/16 400 holds 157 staples with leg lengths of 3mm to 16mm. (Use Venhart 380/14 staples)

VH371/16 401 holds 189 staples with leg lengths of 10mm to 12mm. Use Venhart 71/10 (10mm) or 71/12 (12mm) staples.



Venhart HAND CLIPPERS



SUPER CLIPSER

The garbage bag closer for homes, offices, stores and laboratories. Built-in rollers in the jaws allow the jaws to be pushed smoothly and easily over the bag neck. Takes Venhart super clipser clips, 300 clips per pack.

ACTUAL SIZE

CLIPSER

For small production runs and domestic use. The fast and easy way to seal freezer bags, oven bags, bin liners, and packs of meat, fruit or vegetables. Display pack includes 60 aluminium clips. Refills available, 120 clips per pack.

VHTG AND VR60 SERIES

Venhart hand net clippers are used in the construction industry, public works and general farming etc for making plastic net, oyster cages, hen houses, joining protective netting for fruit trees, landscaping barriers for stones and debris, securing trellises to building facades and in vineyards for holding up vines. (Alternative to Venhart vinyl ties) Venhart hand net clippers can also be used for closing VENET produce, citrus and oyster bags.

ACTUAL SIZE

VHTG SERIES

VHTG16, VHTG18 and VHTG20. Each model weighs only 360 grams and holds 50 'omega' shape clips with no sharp edges. Use Venhart VR16 (16mm), VR18 (18mm) or VR20 (20mm) clips.

VR60 SERIES, AIR ASSISTED



An easy to operate pistol grip design. The magazine holds 75 Venhart VR18 (18mm) galvanised clips and the jaws are adjustable to exert a closing pressure of up to 1900kg. Air supply 90psi.

TOUGHER!

P88E AUTOMATIC

The P88E makes the clips from continuous flat profile wire and closes bags made from **VENHET** tubular poly netting or **VENHET** netting sleeves. The clip is automatically applied when the operator inserts the netting into the clipping jaws. It features a stainless steel table with height adjustment lever (680mm to 820mm), and coupled with a weighing machine can make, fill and close 900 to 1300 bags per hour. Weight 87kg. Power supply: 3 phase, 415v. Power consumption 400 watts. Machine dimensions 800mm long x 600mm wide x 880mm high. Use **VENHART** continuous wire bobbins. (Wire profile: 3mm x .05mm).



Optional: "Feed Cones" for easy feeding of netting onto the chutes.



The P88E makes its own clips from a continuous wire bobbin.



Venhart® NET CLIPPING MACHINES

Make your own netting bags with the **VENHART** clipping machines. The already weighed or counted product drops from a hopper or belt into the chute which has been previously loaded with **VENHET** tubular poly netting or **VENHET** netting sleeves. The machine securely applies a clip to the top of the filled bag and the bottom of the next. The clip clinch is adjustable to suit different bag neck circumferences and gauges of netting. The positioning and angles of the chutes are individually adjustable to suit various packing requirements.

CLIP FOR P68 SERIES
ACTUAL SIZE



P68 2 TWIN CHUTE

Manual operation. Easy foot pedal action applies clips at up to 1200 per hour. The P68 2 has a soft vinyl padded work table, 700mm x 355mm, with a height adjustment lever (385mm to 735mm). Maximum machine dimensions: 1000mm long, 800mm wide, 1600mm high. Weight 75kg. Magazine holds 1140 **VENHART** P68 clips. Each chute holds 32.4 metres of **VENHET** tubular netting.



P68 2E AUTO

This electric twin chute model provides fast, easy and efficient packing and bag closing at up to 1800 per hour. The clip is automatically applied when the operator inserts the netting into the crimping jaws. The P68 2E has a soft vinyl padded work table, 700mm x 355mm, with a height adjustment lever (385mm to 735mm). Machine dimensions: 1400mm long, 800mm wide, 1500mm high. Weight 90kg. Power supply: 3 phase, 415v. Magazine holds 1140 **VENHART** P68 clips. Each chute holds 32.4 metres of **VENHET** tubular netting.



VENHET tubular poly netting is available in rolls and sleeves. Colour: green, red, orange, yellow, blue and white.

P68 SINGLE CHUTE

The same as the P68 2 (above) but with a single chute. Applies **VENHART** P68 clips at up to 1200 per hour. Single chute holds 32.4 metres of **VENHET** tubular netting. Weight 70kg.



Venhart STAPLE SELECTION GUIDE

PRODUCT No	CROWN mm	LENGTH mm	WIDTH mm	THICKNESS mm	STAPLES PER SLUG	STAPLES PER BOX	STAPLES PER CARTON	SUITABLE FOR THESE Venhart STAPLERS
CARTON STAPLES								
A15	35	15	2.3	.97	50	2000	20000	AL15, CM35 15-18, CN35 15, CP35 15, CPN35 18-22
A18	35	18	2.3	.97	50	2000	20000	AL18, CM35 15-18, CP35 18, CPN34 18, CPN35 18, CPN35 22
B15	34	15	2	.95	50	2000/2400	20000/24000	AM34 15, CM34 15-18, CP34 18, CPN34 18
B18	34	18	2	.95	50	2400	24000	CP34 18, CM34 15-18, CPN34 18
B22	34	22	2	.95	50	1600	16000	CM3422
D12	32	12	2	.95	50	2000	20000	BF32 22, CM32 12
D15	32	15	2	.95	50	2400	24000	AM32 12, AM32 15, CM32 15, CP32 12, BF32 22
AIR TACKER STAPLES								
71/10	9.1	10	.75	.60	164	10000	250000	VH371 / 16-401
71/12	9.1	12	.75	.60	164	10000	200000	VH371 / 16-401
90/18	5.85	18	1.27	1.05	100	—	60000	VH90 / 32-611
90/25	5.85	25	1.27	1.05	100	—	44800	V90 / 32-611
380/14	13	14	.91	.70	150	15000	120000	VH380 / 16-400
HAND CLIPPER STAPLES								
VR16	16	8	1.03	1.03	53	2500	60000	VHTG16
VR18	18	9	2.05	2.05	43	4500	22500	VR60, VHTG18
VR20	20	10	2.05	2.05	47	1000	30000	VHTG20
HR14	19	7	1.31	1.31	51	5000	100000	CLDT, HR1
CLIPSER	14	19	1.05	1.05	12	120 per card	2160*	CLIPSER (*2160 clips per display)
SUPER CLIPSER	30	30	1.92	1.92	12	300	—	SUPER CLIPSER
NET CLIPPING MACHINE STAPLES								
P68	9	9	1.2	1.2	57	10000	100000	P68, P68 2, P68 2E
P88E	CONTINUOUS WIRE	3	.05		clip wt. 0.26g/6709 p/bobbin	4.34 kg*		4.34kg PER 399.28 metre BOBBIN. 6 BOBBINS PER CARTON.

555 Church Street, Richmond, Vic. 3121
25 Nicholson Street, Abbotsford, Vic. 3067, Melbourne, Australia.
Phone: (03) 9428 1652. Telex: AA33245 (Venus).
Fax No: (03) 9429 5506, (03) 9429 5110, (03) 9428 7995.



WARNING: All data in this brochure is provided as a guide only and should not be used in writing specifications. Purchasers should test any product offered herein to determine suitability for their particular purpose. November 1996.