

Venhart[®]
BRAND

Water Activated Tapes and Dispensers

The natural alternative

Water activated, gummed paper tapes are solvent and chemical free, non-toxic and odourless. The tape laminates to the package so it won't lift. This reduces pilferage and damage and creates a natural, appealing appearance.

Sri Lankan Grey Heron,
Yala National Park,
Sri Lanka.



Venhart[®] BRAND

V25 and V25B

Dispenses 22 pre-set lengths from 10cm to 115cm.

11 pre-set length buttons and a "+5" button that increases each pre-set length by 5cm gives 22 pre-set lengths in all. "Short Length" and "Long Length" buttons allow the operator to pre-program 2 extra tape lengths. Cuts kraft paper and kraft reinforced gummed paper tape. Takes tape in widths from 20 to 100 mm. Maximum roll diam. 200 mm. The V25 and V25B also have a "Random Length" button that dispenses tape continuously until released.



Venhart[®] BRAND V25 Electronic

Complete with heater.
Mains powered with
detachable power cord.
Optional foot pedal.



Venhart[®] BRAND V25 Battery

Battery powered portable.
Complete with foot pedal,
rechargeable battery and
charger.



Set Up and operation



1. Turn on the heater if required.
(V25 only).



2. Press the length required. To
add 5cm, first press the +5 key.



3. Press the foot pedal. (V25B) or
the length button (V25) set in Step
2 above.



4. Tape will be dispensed
according to the length selected in
step 2.



5. To set a "Short Length" and "Long
Length" touch the length required
while holding down the "Short
Length" or "Long Length" button.



6. The "Short Length" or "Long
Length" selected in step 5 will now
be dispensed each time its button
is pressed.

Venhart[®] BRAND V26L Magic

**No more
guesswork**

Detects random pack sizes, dispenses correct length automatically.

No more wasted tape and wasted time spent individually calculating or guessing the length of tape required for each random sized package. Magic Sensors detect the size of each package. With a light tap on the pedal* the correct length of tape is dispensed every time. Cuts kraft paper and kraft reinforced gummed paper tape. Takes tape in widths from 20 to 100mm. Max. roll diam. 200mm. Tape can also be dispensed continuously by holding down the "Random Length" key.



Set Up and operation



1. Position the Sensors facing each other spaced between 50cm and 150cm apart. Measure the distance between them.



2. Hold down the Calibration key and the length key that matches the sensor spacing for 3 seconds. The Sensor LED blinks 3 times to indicate the setting is saved.



3. Turn the Closing Flap knob to adjust the length of tape overlap required.



4. Turn on the heater. (V26L Magic only). The temperature automatically adjusts to suit the length of tape dispensed.



5. Place the package between the sensors.



6. Press the foot pedal* to dispense tape automatically measured by the sensors.



7. The correct length of tape will be dispensed every time according to the package size measured by the sensors.



8. Apply the tape to your package.

Venhart[®] BRAND V26L Magic

Complete with Magic Sensors, foot pedal and heater. Mains powered with detachable power cord.



**The V26L Magic includes a foot pedal. It is an optional extra with the V26LB Magic Battery model.*

Venhart[®] BRAND V26LB Magic Battery

Battery powered portable. Complete with Magic Sensors, rechargeable battery and charger. Tape is dispensed by pressing the Sensor button.



Venhardt[®] Uni 200B6

BRAND

Portable. Lever Action.

The **Uni 200 B6** dispenses and cuts Kraft Paper and Kraft Reinforced Gummed Paper Tape in lengths from 10cm to 110cm. The length is set by loosening the finger nut and adjusting the pointer. Releasing the handle cuts the tape. Features metal casing with a guillotine blade and plastic water tank. Uses gum side in tapes up to 100mm wide and 200mm outer diameter. Weight 9.5kg.



Venhardt[®] BRAND

Gummed Paper Tapes

Water Activated

Gummed paper tapes are environmentally friendly, non-toxic and odourless because they are solvent and chemical free. Once applied, the tape is actually laminated to the package so it won't lift. This reduces pilferage and damage and creates an homogenous, professional appearance.



No	PRODUCT	COILS PER CARTON 48mm	WIDTH mm	LENGTH mm	COATED THICKNESS mm	TENSILE STRENGTH kg/25mm	COLOURS	APPLICATIONS AND SPECIAL FEATURES
VG60	Water activated kraft paper with vegetable glue.	30 (25mm)	18 to 72	184	0.100	11.56	Brown	An economical and professional finish for lightweight cartons up to 15kg approx. Paper plus glue 97gsm.
VR70	Water activated bleached kraft paper with vegetable glue.	15	48 and 60	184	0.100	12.40	White	The low cost way to give a professional finish to white cartons up to 20kg approx. Paper plus glue 102gsm.
VG80	Water activated kraft paper with vegetable glue.	15	48 to 72	184	0.110	13.60	Brown	For medium to heavy cartons up to 22kg approx. Paper plus glue 107gsm.
VG803	Water activated 3 way reinforced kraft paper with vegetable glue.	15	48 to 72	92	0.150	MD 26.80 CD 13	Brown	Safe, secure sealing of cartons up to 35kg approx. 3 way glass fibre reinforced to provide high impact strength and tear resistance. Paper plus glue 143gsm.