

You can stop looking ...

Venhart has it.
BRAND

The Complete DISPENSER GUIDE

Updated
edition
2019



Crested Seriema

Seriemas are the sole survivors of a group of giant ground dwelling predatory birds that inhabited South America more than 25 million years ago. The two present day species, related to the bustard family, are found only in the dry scrub grasslands between the Amazon rainforest and the pampas of Argentina.

Venhart Teardrop Dispenser



VH10
All metal with a tape view hole and rubber roller. For tapes to 25mm wide with 120mm outer diameter on a 76mm core, weight 302g. Also **VH15** for 38mm wide tapes, weight 367g and **VH25** for 50mm wide tapes, weight 432g.

VH15B
Made in Europe from 0.8mm steel with tempered steel blade, squeeze brake, tape view hole and rubber roller. For filament, PP and PVC tapes to 38mm wide and 120mm outer diam. on a 76mm core, wt. 495g. Also **VH25B** for 50mm wide tape, wt. 570g and **VH10B** for 25mm wide tape, wt. 415g.

VH25D
Deluxe Made in Europe from 0.8mm steel with tempered steel blade, rubber roller and tape view hole. For tape to 50mm wide and 120mm outer diam. on a 76mm core, wt. 555g. Also **VH15D** for 38mm wide tape and 142mm outer diam., wt. 480g and **VH10D** with plastic roller for 25mm wide tape and 120mm outer diam., wt. 405g.

VHP10
Made in Europe with tempered steel blade, rubber roller and tape view hole. For paper, PP and PVC tapes to 25mm wide and 140mm outer diam. on a 76mm core, wt. 394g. Also **VHP15** for 38mm wide tapes, wt. 478g and **VHP25** for 50mm wide tapes, wt. 558g.

VH14P
Red plastic with metal cutter. Takes 50mm wide rolls with 76mm core and 115mm outer diameter. Folds to pocket size. Weight 70g.



VH102
One-piece, 2mm thick steel frame with plastic spool, rubber roller, contoured hand grip and tempered steel blade. Takes tapes to 50mm wide and 136mm outer diameter on a 76mm core. Weight 590g.

VH102B
One-piece, 2mm thick steel frame with adjustable brake, tempered steel blade, plastic spool, rubber roller and contoured hand grip. Takes tapes to 50mm wide and 136mm O.D. on a 76mm core. Wt. 625g.

VH102GAB
Metal and plastic with comfortable hand grip, rubber roller, anti-rust blade and safety blade cover. Large finger nut for easy brake adjustment. Takes tapes to 50mm wide and 130mm outer diam. on a 76mm core. Wt. 380g.

VH102GAP
Metal and plastic with anti-rust blade, plastic roller and rubber guard that exposes the blade only when cutting tape. Large finger nut for easy brake adjustment. Takes rolls to 50mm wide and 120mm outer diam. on a 76mm core. Wt. 350g.

VH102GNB
Spool-less metal and plastic low noise design with, rubber roller, anti-rust blade, safety blade cover and contoured hand grip. Takes rolls to 50mm wide and 120mm outer diameter on a 76mm core. Wt. 364g.

VH102LL
Extended one-piece 2mm thick steel frame for rolls to 175mm outer diam. Tempered steel blade, rubber roller, finger nut brake adjustment and contoured hand grip. Takes tapes to 50mm wide on a 76mm core. Wt. 635g.



VH102SB
All plastic with metal anti-rust blade, safety blade cover, rubber roller and large finger nut brake adjustment. Takes rolls to 50mm wide and 130mm outer diam. on a 76mm core. Weight 275g.


VH102SDB
One-piece, 2mm thick steel frame with unique tempered steel safe blade, rubber roller, contoured hand grip and adjustable brake. Takes tape to 50mm wide and 136mm O.D. on a 76mm core. Wt. 625g.

VH102WB
One-piece, 2mm thick steel frame with contoured hand grip, rubber roller, adjustable brake and tempered steel wave blade, especially suitable for filament tape. Takes rolls to 50mm wide and 136mm outer diam. on a 76mm core. Wt. 625g.

VH103ABC
Metal and plastic with contoured hand grip, plastic roller and large finger nut for easy brake adjustment. Takes rolls to 75mm wide and 140mm outer diameter on 76mm core. Wt. 500g.

VH103LL
Large, one-piece, 2mm thick steel frame for rolls to 175mm O.D. Tempered steel blade, rubber roller, adjustable brake and contoured hand grip. Takes tapes to 75mm wide on 76mm core. Wt. 795g.

VH103NRB
Metal and plastic with noise reduction system, anti-rust blade, blade cover, rubber roller, contoured hand grip and large finger nut for easy brake adjustment. Takes tapes to 75mm wide with outer roll diam. to 120mm on a 76mm core. Wt. 687g.



VH400F-2 TWIN
Metal with 18mm thick solid metal base with all-over rubber anti-slip surface and mounting holes. Two 25mm wide spools for one 50mm or two 25mm wide rolls and 160mm outer diam. on a 76mm core. Wt. 2.63kg.

VH400H
Metal with carry handle, transparent blade protecting shield, slip resistant base and bench mount holes. The handle and blade protector fold back and down for loading. Takes rolls to 50mm wide and 140mm outer diam. on a 76mm core. Wt. 1.30kg.

VH410
Plastic with separate wells for two rolls up to 30mm wide and 120mm outer diameter. Two piece spools suit 25mm or 76mm cores. Weight 1.97kg.

VH411-50D
Heavy 4mm thick metal with 12mm solid metal base, tempered steel toothed blade, plastic spool and rubber anti-slip pads. Takes rolls to 50mm wide and 145mm outer diam. on a 76mm core. Wt. 2.98kg. Also **VH411/50** with standard base. Wt. 1.5kg.

VH411-150
Heavy 4mm thick steel with tempered toothed blade, anti-slip strips and mounting holes. Takes rolls to 150mm wide and 145mm O.D. on a 76mm core. Wt. 2.38kg. Also **VH411-75** for rolls to 75mm wide, wt. 1.66kg and **VH411/100** for rolls to 100mm wide, wt. 1.96kg.

VH412
Heavy 4mm thick steel with tempered steel toothed blades, plastic spools and rubber anti-slip base. Takes 2 rolls 25mm wide and 155mm outer diameter on 76mm cores. Weight 2.42kg. Also **VH412L** with razor blades. Weight 2.47kg.


Venhart Hand Strappers



VH112A
All metal with hand squeeze tensioner and anti-rust metal blade. Suitable for filament tapes to 25mm wide and 150mm outer diameter on 76mm core. Weight 205g.



VH116/50
Plastic with anti-rust metal blade. Anti-backflow clip prevents tape rewinding. Static cling strip keeps tape in ready position. For filament, strapping and carton sealing tapes to 50mm wide and 120mm outer diam. on 76mm core. Wt. 122g.



VH117A
All plastic with metal blade. Suitable for filament and strapping tapes 25mm wide and 135mm outer diameter on 76mm core. Weight 85g.



VH108C Snails with PP tape 15mm wide and 45mm O.D. on 25mm core. Pack of 100.




VH109 Snails in 8 colours. Dispensers only. For 12mm or 19mm wide tape on 25mm core and 45mm O.D. Display box of 16.



VHMT801 Mounting Tape. Foam with peel-off backing. 18mm wide x 2 metres x 2mm thick.
VHMT802 Mounting Tape. Foam with peel-off backing. 24mm wide x 1 metre x 2mm thick.
Memograph. Transparent, removable. For document highlighting or notation without damage. Display box of 6 dispensers 50mm x 10 metres or 4 colours x 8mm x 20 metres.
VHDS805 Double Sided Tissue Tape. 18mm wide x 5 metres.
VHMN-301IV Mini Snails for briefcase, pencil boxes etc. Pack of three, each with 12mm wide x 7m invisible mending tape.

Venhart Pistol Grip Dispensers



VH102NR
Metal and plastic with noise reduction mechanism, contoured hand grip and large finger nut for easy brake adjustment. Takes rolls to 50mm wide and 120mm outer diam. on a 76mm core. Weight



VH102NX
Swedish quality. Spool-less with metal frame and plastic roller. The roll is held and braked by a spring-loaded clamp. Takes tapes to 50mm wide with core sizes from 38mm to 76mm and up to 120mm outer diam. Wt. 275g.



VH102NXC
Spool-less with metal frame, plastic roller, noise reducer and spring brake. Takes tape to 50mm wide and 115mm outer diameter on a 76mm core. Wt. 263g.



VH102NXX
Spool-less with metal frame, plastic roller and spring brake trigger to simplify loading tape. Takes tape 50mm wide and 125mm outer diameter on a 76mm core.



VH102RBMB
One-piece solid metal frame, retracting anti-rust safety blade*, rubber roller, adjustable brake and contoured hand grip. Takes rolls to 50mm wide and 136mm outer diam. on a 76mm core. Wt. 590g.



VH102RMB
Metal frame with retracting safety blade*, plastic roller and adjustable brake. Takes rolls to 50mm wide and 130mm outer diameter on a 76mm core. Wt. 325g.



VH103NX
Swedish quality. Spool-less with metal frame and plastic roller. The roll is held and braked by a spring-loaded clamp. Takes tapes to 75mm wide with core sizes from 38mm to 76mm and up to 120mm outer diam. Wt. 355g.



VH103NXX
Spool-less with metal frame, noise reducer, plastic roller and spring brake trigger to simplify loading tape. Takes tape 75mm wide and 125mm outer diameter on 76mm core. Wt. 480g.



VH103NXXB
Spool-less low noise design with all metal frame, anti-rust blade, safety blade cover, rubber roller and spring brake trigger for easy loading. Takes tapes to 75mm wide with outer diameter to 135mm on a 76mm core. Wt. 475g.



VH103RBMB
The anti-rust safety blade is attached to the spring-loaded smoothing flap and remains retracted except when cutting the tape. One-piece solid metal frame, rubber roller, contoured hand grip and adjustable brake. Takes rolls to 75mm wide and 136mm O.D. on a 76mm core. Wt. 750g.



VH103SDB
One-piece, 2mm thick steel frame with unique tempered steel safe blade, contoured hand grip, rubber roller and large finger nut for easy brake adjustment. Takes tape to 75mm wide and 136mm outer diam. on 76mm core. Wt. 785g.



VH104B
Strong metal frame, anti-rust blade with safety blade cover, plastic roller, contoured hand grip and large finger nut for easy brake adjustment. Takes tapes to 100mm wide and 135mm outer diam. on a 76mm core. Wt. 1.02kg.

Venhart Bench Top Dispensers



VH414
Heavy 4mm thick steel with tempered steel toothed blades, plastic spools and rubber anti-slip base. Takes 4 rolls 25mm wide and 155mm O.D. on 76mm cores. Wt. 4kg. Also **VH414L** with razor blades, wt. 4kg and **VH414F** with toothed blades and 18mm solid metal base, wt 2.67kg.



VH417
All metal with bench mount screw holes. Metal spindle adjusts easily for rolls to 100mm wide on a 76mm core and maximum 170mm outer diameter. Weight 985g.



VH419B
Metal with plastic spool and blade cover. Takes tape to 25mm wide and 120mm outer diameter on a 76mm core. Anti-rust blade. Heavy metal base with all-over rubber anti-skid surface. Weight 854g.



VH431A
Space-age plastic sphere in blue or red. Takes 33 metre tape to 19mm wide with 60mm outer diameter and 25mm core. Rubber feet. Weight 725g.



VH443
Metal with three plastic spools and anti-rust blade. Takes one 75mm wide roll or three 25mm wide rolls with 120mm outer diameter on a 76mm core. Heavy metal base with all-over rubber anti-skid surface. Weight 1.47kg.



VH447 Dual Core
25mm and 76mm core sizes are integrated in the one spool. Plastic with pen holder, anti-rust blade, and weighted base with all-over rubber anti-skid surface. Takes tapes to 25mm wide and 127mm outer diam. Weight 1.27kg.

Venhart Stationery Dispensers



VHDS805 DOUBLE-SIDED TAPE
VHCC-833 CRYSTAL CLEAR TAPE
VHIV833 Invisible TAPE
VHIV250 Invisible TAPE
VHIV212 Invisible TAPE
VHIV853 Invisible TAPE
VHCC833 Snail with clear PP tape on hanging card, 18mm wide x 25.4 metres.
VHIV833, VHIV250, VHIV212 Snails with mending tape. Single packs on hanging card. 18mm wide x 33 metres, 12mm wide x 12.70 metres and 12mm wide x 30.48 metres.
VHIV853 Snails with mending tape. Pack of three 18mm wide x 12.70 metres.
VHMN-301IV Mini Snails with invisible mending tape. For briefcase, pencil boxes etc. Pack of three, each 12mm wide x 7 metres.
VHFR-603W Wipe Out Correction Tape in pen style dispenser. 5mm wide x 6 metres.
VH102 Mini Pistol Grip with 18mm x 33m mending tape. Size: 127mm x 69mm x 29mm.
Postscript Stick-on memo blister pack. 60mm wide x 5 metres with cutter. All-over adhesive. Dispense exactly the size you need; no wastage. Easily removable.

VH429 Plastic Mini Snail with metal blade. Dispenser only. Takes tape to 19mm wide and 65mm O.D. on 25mm core. Brown, blue, beige, red, green, white, yellow.
VH435 Snail with metal blade. Dispenser only. Takes 19mm wide tape on 25mm core. Red, yellow, green, blue, transparent.
VH436 Deluxe Snail with metal blade. Dispenser only. Takes tape 19mm wide x 33 metres.
VH/PT-506F Crystal Clear Dispenser with transparent tape 18mm wide x 25.4 metres. Holds two pens. Weight
VH433 Organiser. For tape 25m wide on 25mm core. Plastic. Holds markers, pens, rubber bands, paper clips. Weight 1.01kg.
VH427 Organiser. Takes 19mm tape to 60mm O.D. on 25mm core. Plastic with blade protector. Holds pens, pencils and markers. Weight 685g.

Venhart Double Sided Pistol Grip



VH120 Masking Tape Dispenser
 Plastic with metal anti-rust blade. Easy, one hand operation. Splits for reloading. Takes tape to 25mm wide and 140mm outer diameter on a 76mm core Weight 55g.

VH119A Transfer Tape Dispenser
 Applies adhesive only, with no tape medium, for mounting photos and artwork. Takes adhesive transfer tape to 19mm wide and 80mm outer diameter on a 25mm core. Weight 375g.

VH1160
 Heavy duty steel frame with tempered steel blade, plastic spools, nylon cogs, rubber roller and contoured hand grip. Both spools have large finger nut for easy tension adjustment. Takes tapes to 25mm wide and 140mm outer diam. on a 76mm core. Wt. 670g. Includes extra spool for 25mm core tapes.

VH1175
 Heavy duty steel frame with tempered steel blade, plastic spools, nylon cogs, rubber roller and contoured hand grip. Both spools have large finger nut for easy tension adjustment. Takes tapes to 50mm wide and 140mm outer diam. on a 76mm core. Wt. 822g.

Venhart Double Sided Bench Top

Clamp On



VH2600
 Clamps to a bench. The spool can be aligned parallel with or oblique to the edge. Metal with metal spool that adjusts to suit tapes to 50mm wide and 200mm outer diameter on a 76mm core. Weight 290g. Also **VH2600F** for 25mm wide tape. Weight 145g.

VH475CL-3B
 Heavy duty metal with anti-rust blade, three 25mm spools and bench mount C-clamp. Takes tapes to 75mm wide and 150mm outer diam. on 76mm cores. Wt. 674g. Also **VH405CL-2B** with two 25mm spools. Takes tapes to 50mm wide. Wt. 558g.



VH4170
 Heavy 4mm thick metal frame with tempered steel blade (tooth spacing 1.5mm) and 9.5mm solid metal base with mounting holes. Both spools have easy finger nut tension adjustment. Takes tapes to 50mm wide and 160mm outer diam. on a 76mm core. Wt. 3.5kg.

VH4180
 Heavy 4mm thick steel frame with 9.5mm solid metal base with mounting holes. The scissor blades of tempered steel easily cut tough tapes such as aluminium, cloth and fibre reinforced. Both spools have a large finger nut for easy tension adjustment. Includes an adjustable measuring bar for cutting pre-set lengths to a maximum of 500mm. Weight 4.28kg. Takes tapes to 50mm wide and 160mm outer diameter on a 76mm core.
VH4180M
 The same as the **VH4180** but with toothed blade and a measuring bar. Weight 3.75kg.

VH4180
 Heavy 4mm thick steel frame with 9.5mm solid metal base with mounting holes. The scissor blades of tempered steel easily cut tough tapes such as aluminium, cloth and fibre reinforced. Both spools have a large finger nut for easy tension adjustment. Includes an adjustable measuring bar for cutting pre-set lengths to a maximum of 500mm. Weight 4.28kg. Takes tapes to 50mm wide and 160mm outer diameter on a 76mm core.
VH4180M
 The same as the **VH4180** but with toothed blade and a measuring bar. Weight 3.75kg.

Bundlers



VH448
 Metal with plastic spool. Takes tapes to 50mm wide and 120mm outer diameter on a 76mm core. Also **VH448-2** Twin with two spools for two rolls 25mm wide. Both have heavy metal base with all-over rubber anti-skid surface. Wt. 1.28kg

VH2100
 Tape is dispensed adhesive side out. As the bundle of produce, wire, rods etc., is rolled and the tape cut, a flap smooths the end down. Uses tape 25mm wide and 190mm outer diam. on a 76mm core. Metal with bench clamp and plastic spool. Wt. 665g.

VH2200
 Dispenses tape adhesive side up. The bundle is rolled and the tape cut leaving another 200mm ready. Metal with serrated cutter, 18mm solid metal base and plastic spool. Takes tapes 50mm wide and 145mm outer diam. on a 76mm core. Wt. 3.14kg.

Venhart Twist Tyers



Twister 10
 Uses 4mm wide TIEFIX Twister 10 plastic coated wire ribbon available in white, red, blue, gold and silver on 500m spools and white on 900m spools. Cuts an 85mm length and twists it around the necks of bags at up to 50 bags per minute. Suits bag neck diameters to 12mm. Dimensions with spool: 520mm x 180mm x 280mm high. Weight 7kg.

Tiematic
 Uses 3mm wide TIEFIX vinyl ribbon with 0.4mm wire core, available in black, white, red, blue, green, orange yellow and purple on 914m spools. Cuts a 75mm length and twists it around the necks of bags at up to 30 bags per minute. Choice of jaws to suit bag neck diameters 9mm, 16mm and 16mm double twist. Weight 7.20kg.

Venhart Water Activated



VH121: Plastic, hand held with toothed blade and see-through water reservoir. Takes gum side in tape up to 40mm wide and 125mm outer diam. on a 76mm core. Wt. 200g.
Nyperba 50: Cast iron with guillotine cutter for reinforced gum side out tapes to 50mm wide. Wt. 1.25kg.
VH480: Metal with toothed blade, fabric covered roller, plastic water trough and rubber feet. For gum side in tape to 80mm wide and 180mm outer diam. Wt. 1.60kg.

V25 Electronic and V25B Battery
 Dispenses 22 pre-set lengths from 10cm to 115cm. 11 pre-set length buttons and a "+5" button that increases each pre-set length by 5cm gives 22 pre-set lengths in all. "Short Length" and "Long Length" buttons allow the operator to pre-program 2 extra tape lengths. Cuts kraft paper and kraft reinforced gummed paper tape. Takes tape in widths from 20mm to 100 mm. Maximum roll diam. 200 mm. The **V25 Electronic** and **V25B Battery** also have a "Random Length" button that dispenses tape continuously until released. Weight 12kg.

UNI200 B6
 Dispenses lengths 10cm to 110cm. Length is set by loosening the finger nut and adjusting the pointer. Releasing the handle cuts the tape. Metal casing with guillotine blade and plastic water tank. Heater optional. Uses gum side in tapes to 100mm wide and 200mm outer diam. Wt. 9.35kg.

Venhart V26L Magic

No more guesswork. Detects random pack sizes, dispenses correct length automatically.

No more wasted tape and wasted time spent individually calculating or guessing the length of tape required for each random sized package. Magic Sensors detect the size of each package. With a light tap on the pedal the correct length of tape is dispensed every time. Cuts kraft paper and kraft reinforced gummed paper tape. Takes tape in widths from 20 to 100mm. Max. roll diam. 200mm. Tape can also be dispensed continuously by holding down the "Random Length" key.



Venhart V26L Magic
 Mains powered with heater, Magic Sensors, foot pedal and detachable power cord.

Venhart V26LB Magic Battery
 Battery powered portable with Magic Sensors, foot pedal, rechargeable battery and charger.

Venhart Definite Length

SA27 BASIC

Dispenses self adhesive tape 3cm to 1 metre. Just enter the length once then as each piece is removed the tape advances exactly that length. Wt. 6kg.

SA27 AUTO and SA27 AUTOMAGIC

Both models memorise 5 programmable lengths. The "Auto" key dispenses the selected length repeatedly at adjustable intervals of up to 99 seconds. The "Random" key dispenses tape continuously. The SA27 AUTOMAGIC includes plug-in sensors that detect the package size. A tap on the foot pedal dispenses the correct length of tape every time. Ideal for batches of random sized packages.



The SA27 BASIC, SA27 AUTO and SA27 AUTOMAGIC use tapes 15mm to 75mm wide and 190mm outer diameter on a 76mm core. Tape thickness 40um to 270um.

VHBU75 and VHBAM75

Both dispense 26 lengths 50mm to 1300mm. Auto repeat button dispenses pre-set length continuously. Free length button dispenses tape until released. For self-adhesive tapes 15mm to 75mm wide on a 76mm core. Max. O.D. 190mm. VH75BAM has digital length display. VHBU75 Wt. 5.89kg. VHBAM75 Wt 6.16kg.



VH2008A

Set the length required from 19mm to 130mm, then pull the lever to deliver the length of tape selected. For self-adhesive tapes to 25mm wide on a 76mm core and 140mm max. outer diam. Rubber feet. Wt. 1.92kg.

Venhart Bag Neck Sealers

All have bench mount screw holes and rubber anti-slip feet. Recommended tapes: Venhart C20, C30, 20C, 72S and 82W.



VH1800E

Metal with a bag trimmer. Maximum twisted neck diam. 12mm. Uses PVC tape to 19mm wide and 150mm outer diam. on a 76mm core. Wt. 1.30kg. Also VH1800C Deluxe. Swedish quality, red, wt 1.26kg.

VH4100B

Metal construction. Uses PVC tape to 12mm wide and 150mm outer diameter on a 76mm core. Seals bags with a maximum twisted neck diameter of 8mm. Weight 844g.

VH4100BC

Metal with a bag top trimmer. Uses PVC tape to 12mm wide and 150mm outer diameter on a 76mm core. Seals bags with a maximum twisted neck diameter of 8mm. Weight 895g.

VH4100SS

Made from stainless steel for sealing bags of moist products such as meat, deli goods and fish. Uses PVC tape up to 12mm wide and 150mm outer diam. on a 76mm core. Max. twisted neck diam. 8mm. Wt. 576g.

VH4400

All plastic. Especially suitable for sealing bags of meat, poultry, deli goods and fish. Uses PVC tape to 12mm wide and 155mm outer diam. on a 76mm core. Max. twisted neck diam. 8mm. Wt. 420g.

VH4700

Metal construction. Uses 9mm wide PVC tape to 120mm outer diam. on a 76mm core and 9mm wide paper roll to 75mm outer diam. on a 25mm core. A single action seals the bag and applies paper to exposed adhesive surfaces. Twisted neck diam. 12mm. Wt. 1.02kg.

Venhart Labellers



VH1205
All metal with bench mount screw holes and spool that adjusts easily for rolls up to 50mm wide and 160mm outer diameter on a 76mm core. Weight 380g.

VH1202W
Enamelled metal, spool-less with 2 plastic dividers and rubber anti-slip strips. Total label width 185mm and up to 130mm outer diameter on a 76mm core. Weight 1.75kg

VH1204A
Plastic sides, metal spindle and suction cup feet. Total label width 110mm. Weight 360g. Also **VH1205A**, total label width 60mm, weight 325g; **VH1209A**, total label width 250mm, weight 485g; **VH1215A**, total label width 160mm, weight 400g; **VH1220A**, total label width 210mm, weight 440g and **VH1230A**, total label width 315mm, weight 525g. All take rolls with outer diameters to 140mm.

VH1215L
Enamelled metal. Spool-less with bench mount screw holes and rubber feet. Weight 550g. Also **VH1216H**, heavy duty with 18mm thick solid metal base, weight 3kg. Both accept total label widths to 150mm and rolls with outer diameters to 160mm.

Bench Mounted

Metal with C-clamp. Both take rolls with an outer diam. to 150mm on 76mm cores.



VH405SAL-2B
with two 25mm spools; total label width 50mm. Wt. 624g.

VH475SAL-3B
with three 25mm spools; total label width 75mm. Wt. 753g.

Automatic

Photo sensor



VH300 Horizontal
Horizontal dispensing action. Weight 3.24kg.

The photo sensor advances labels automatically as each label is removed. Both models operate at 12v (adaptor included) and feature adjustable speed, label counter and liner re-winder. For label widths 19mm to 100mm with a 25mm or 76mm core and 230mm max. outer diameter.

Automatic

Photo sensor



VH310 Vertical
Vertical dispensing supports long labels. Weight 3.66kg.

Wall Mounted

Enamelled metal, all with plastic 76mm diameter spools, mounting screw holes and tape pads for attaching to the wall. Smaller core label rolls can be used without the spools. All take rolls to 180mm O.D. Can also be bench mounted.



VH133
Total label width 75mm with two plastic 76mm diameter spools. Weight 1.12kg.

VH1365
Total label width 165mm. Weight 1.53kg. Also **VH1345**, total label width 114mm, weight 1.32kg and **VH1385**, total label width 215mm, weight 1.83kg. All have 4 plastic 76mm spools.

VH13105
Total label width 265mm. Weight 2kg. Also **VH13125**. Total label width 315mm. Weight 2.2kg. Both have 6 plastic 76mm spools.

Label Protection

Covers and protects labels up to 150mm wide and 220 long (5mm border).



VH2400
Dispenses clear tape, adhesive side up. The label is placed face down leaving a border of adhesive exposed. Plastic with steel tape clamp and bench mount screw holes. Weight 960g.

Label Gummer

Gums plain paper labels when a 50/50 mixture of water and glue concentrate is added to the plastic water trough.



VH125
Moistens gummed labels as they are hand fed through the brass and fabric rollers. For labels to 125mm wide. Weight 753g. Also **VH75** for labels to 70mm wide, weight 382g, and **VH200** for labels to 195mm wide, weight 748g.

Paper Roll Holders



Wood: PM1140, PM1520
Heavy cast iron supports, steel guide bar with aluminium straight tear edge, wooden dowel spindle and timber base. The tear edge screws on and off for easy replacement. Maximum roll outer diam. 260mm (subject to weight). Available in 1140mm and 1520mm widths.

Metal: PMC610, PMC915, PMC1200
Available in 610mm, 915mm and 1200mm widths. Folds flat for easy storage.

Ventagger Mk4

Ventagger 4 uses nylon pins to attach swing tickets and labels to garments and other products. Includes standard needle. Optional heavy duty needle. Weight 100g.



Tagging Pins
STANDARD: 20, 25, 35, 50, 60, 65, 75 and 150mm long. FINE: 20mm and 50mm long. CIRCLE: 35mm long with 9mm I.D. circle. HOOK: 35mm long with 9mm I.D. hook. DOUBLE PIN: 65mm long.



Venus Price Labellers



No10
Economy model. Single line seven digits, numerals only. Uses labels 10.4mm x 18mm. Weight 290g.

No26 MKIV
Light weight with a smooth dispensing action and easy loading. Enclosed label roll. Uses labels 13mm x 21mm. Weight 250g.

No26A Deluxe
Smooth dispensing action and simple one-step ink roller replacement. Uses labels 13mm x 21mm. Weight 300g.

No60A
Heavy duty. Easy lever action and simple ink roller replacement. Uses labels 15.42mm x 24mm. Weight 350g.

Super 8
Single line, 8 digits. Enclosed label roll is protected from soiling. Uses labels 13mm x 21mm. Weight 280g.

No60B
Easy loading. The first line is alpha, the second numeric. Enclosed label roll. Uses labels 16mm x 23mm. Weight 365g.

Two lines. Prints 10 digits per line at 90 degrees to conventional labellers.

Two lines, 10 digits per line; the first line alpha, the second numeric.

555 Church Street, Richmond, Vic. 3121, Melbourne, Australia.
Phone: (03) 9428 1652. Fax No: (03) 9429 5506.
www.venuspack.com.au Email: venus@venuspack.com.au



WARNING: All data in this brochure is provided as a guide only and should not be used in writing specifications. Purchasers should test any product offered herein to determine suitability for their particular purpose.